

## 001 Y series

3D Atomized fireplace core (manual) 004-037




## 002 K series

3D Atomized fireplace core (automatic) 038-059



## 003 S series

3D Water vapor fireplace with log 060-061



## 004 M series

Three-dimensional fireplace 062-069



## 005 M series

2D flat fireplace 070-093



## 006 M series

Bare carbon fireplace 094-105



## 007 A series

Alcohol fireplace 106-129



## 008 F series

Complete fireplace series 130-135

# INDEX.

# Y SERIES


Y-301, Y-302, Y-303, Y-305, Y-306, Y-307, Y-308, Y-309

**Function**

- Viewing and humidification function
- Flame size adjustment function
- Water shortage and dry burn prevention function
- Stainless steel water tank, stainless steel panel
- Full water working time 6-8 hours
- Manually add water
- With Remote control

**Remark**

- 1. 3MM ultra-thin stainless steel panel can be refitted,  
3MM black titanium stainless steel wire drawing panel can be refitted
- 2. Can be equipped with water pipe, free of manual water
- 3. Firewood sound can be added
- 4. Voice control function can be added
- 5. Can be modified multi-color APP control or multi-color remote control
- 6. The function of sterilizing lamp can be added
- 7. The cobblestones can be added (Put it on the cover)



**Colour:** Silvery ( Optional )  
**Texture of material:** Stainless steel wire drawing




**Colour:** Rose Gold ( Optional )  
**Texture of material:** Stainless steel wire drawing



**Colour:** Golden ( Optional )  
**Texture of material:** Stainless steel wire drawing



**Colour:** Black ( Optional )  
**Texture of material:** Stainless steel wire drawing




**Colour:** Black ( Standard configuration )  
**Texture of material:** Frosting

## METAL COLOR METAL MATERIAL



The product video

## PRODUCT SIZE DETAILS





# Y-301

3D atomizing furnace core (manual)

**Model:** Y-301

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 110W/AC100-240V

**Spray volume:** 400ml/h

**Water tank capacity:** 3L

**N.W:** 11.7KGS

**G.W:** 12.5KGS

**Box size:** L66\*W19\*H17CM

**Product size:** L70\*W24\*H17CM

**Packing size:** L74\*W29\*H22CM

**Button type:** Physical buttons

**Panel thickness:** 15mm





# Y-302

3D atomizing furnace core (manual)

**Model:** Y-302

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 190W/AC100-240V

**Spray volume:** 900ml/h

**Water tank capacity:** 5L

**N.W:** 15.5KGS

**G.W:** 16.9KGS

**Box size:** L96\*W19\*H17CM

**Product size:** L100\*W24\*H17CM

**Packing size:** L104\*W29\*H22CM

**Button type:** Physical buttons

**Panelthickness:** 15mm







# Y-303

3D atomizing furnace core (manual)

**Model:** Y-303

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 290W / AC100-240V

**Spray volume:** 1200ml/h

**Water tank capacity:** 8L

**N.W:** 21.8KGS

**G.W:** 24.4KGS

**Box size:** L146\*W19\*H17CM

**Product size:** L150\*W24\*H17CM

**Packing size:** L154\*W29\*H22CM

**Button type:** Physical buttons

**Panelthickness:** 15mm





# Y-303-R-Thin panel

3D atomizing furnace core (manual)

**Model:** Y-303  
**Material:** stainless steel, cold rolled steel, PP plastic  
**Power/voltage:** 290W / AC100-240V  
**Spray volume:** 1200ml/h  
**Water tank capacity:** 8L  
**N.W:** 21.8KGS  
**G.W:** 24.4KGS  
**Box size:** L146\*W19\*H17CM  
**Product size:** L150\*W24\*H17CM  
**Packing size:** L154\*W29\*H22CM  
**Button type:** Physical buttons  
**Panelthickness:** 15mm




Ultimate 3D flame life  
quality presentation





# Y-305

3D atomizing furnace core (manual)



**Model:** Y-305

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 240W/AC100-240V

**Spray volume:** 1000ml/h

**Water tank capacity:** 6L

**N.W:** 18KGS

**G.W:** 19.6KGS

**Box size:** L116\*W19\*H17CM

**Product size:** L120\*W24\*H17CM

**Packing size:** L124\*W29\*H22CM

**Button type:** Physical buttons

**Panelthickness:** 15mm





# Y-305 Black titanium plate

3D atomizing furnace core (manual)

**Model:** Y-305

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 240W/AC100-240V

**Spray volume:** 1000ml/h

**Water tank capacity:** 6L

**N.W:** 18KGS

**G.W:** 19.6KGS

**Box size:** L116\*W19\*H17CM

**Product size:** L120\*W24\*H17CM

**Packing size:** L124\*W29\*H22CM

**Button type:** Physical buttons

**Panel thickness:** 15mm





# Y-306

3D atomizing furnace core (manual)



**Model:** Y-306

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 340W/AC100-240V

**Spray volume:** 1400ml/h

**Water tank capacity:** 10L

**N.W:** 26.1KGS

**G.W:** 19.6KGS

**Box size:** L176\*W19\*H17CM

**Product size:** L180\*W24\*H17CM

**Packing size:** L184\*W29\*H22CM

**Button type:** Physical buttons

**Panelthickness:** 15mm





# Y-306-R

3D atomizing furnace core (manual)

**Model:** Y-306-R

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 340W/AC100-240V

**Spray volume:** 1400ml/h

**Water tank capacity:** 10L

**N.W:** 26.1KGS

**G.W:** 19.6KGS

**Box size:** L176\*W19\*H17CM

**Product size:** L180\*W24\*H17CM

**Packing size:** L184\*W29\*H22CM

**Button type:** Physical buttons

**Panelthickness:** 15mm





# Y-307

3D atomizing furnace core (manual)

**Model:** Y-307

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 400W / AC100-240V

**Spray volume:** 1500ml/h

**Water tank capacity:** 12L

**N.W:** 28.1KGS

**G.W:** 31.1KGS

**Box size:** L196\*W19\*H17 CM

**Product size:** L200\*W24\*H17CM

**Packing size:** 204\*29\*22CM

**Button type:** Physical buttons

**Panelthickness:** 15mm







# Y-308

3D atomizing furnace core (manual)

**Model:** Y-308

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 500W / AC100-240V

**Spray volume:** 1700ml/h

**Water tank capacity:** 15L

**N.W:** 34.7KGS

**G.W:** 37.4KGS

**Box size:** L236\*W19\*H17CM

**Product size:** L240\*W24\*H17CM

**Packing size:** L244\*W29\*H22CM

**Button type:** Physical buttons

**Panelthickness:** 15mm



jean design  
精工细作·未少一点



# Y-309

3D atomizing furnace core (manual)

**Model:** Y-309

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 120W / AC100-240V

**Spray volume:** 500ml/h

**Water tank capacity:** 4L

**N.W:** 12.5KGS

**G.W:** 13.3KGS

**Box size:** L76\*W19\*H17 CM

**Product size:** L80\*W24\*H17CM

**Packing size:** L84\*W29\*H22CM

**Button type:** Physical buttons


**Panelthickness:** 15mm





# Y-002

3D atomizing furnace core (manual)



## Model: Y-002

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 65W/AC200-240V

**Spray volume:** 300ml/h

**Water tank capacity:** 1.5L

**N.W:** 3.2KG

**G.W:** 4.3KG

**Product size:** R18\*H28CM

**Packing size:** L22\*W22\*H42CM

**Key type:** physical key + knob adjustment

**Light source:** LED

**Function** Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function

PP plastic water tank, stainless steel chassis

Full water working time 10-12 hours, Filled by hand,

Equipped with storm cover water injection funnel



# Y-003

## 3D atomizing furnace core (manual)

**Model:** Y-003

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 65W/AC200-240V

**Spray volume:** 300ml/h

**Water tank capacity:** 1.5L

**N.W:** 3.5KG

**G.W:** 4.6KG


**Product size:** 18\*18\*28CM

**Packing size:** 22\*22\*42 CM

**Key type:** physical key + knob adjustment

**Light source:** LED

**Function** Viewing and humidification function,  
Flame size adjustment function,  
Water shortage and dry burn prevention function  
PP plastic water tank, stainless steel chassis,  
Full water working time 10-12 hours, Filled by hand,  
Equipped with storm cover water injection funnel








# Y-350

3D atomizing furnace core (manual)

**Model:** Y-350  
**Material:** stainless steel, cold rolled steel  
**Power/voltage:** 170W/AC200-240V  
**Spray volume:** 400ml/h  
**Water tank capacity:** 1.5L  
**Net weight:** 9.6 KG  
**Gross weight:** 11KG (excluding stone)  
**Box size:** R30\*H 22.5cm  
**Product size:** R35\*H22.5cm  
**Packing size:** L39\*W39\*H27CM  
**Key type:** Physical key  
**Light source:** LED+halogen lamp

**Function** Viewing and humidification function,  
Flame size adjustment function,  
Water shortage and dry burn prevention function,  
Stainless steel water tank, stainless steel panel  
Full water working time 4-5 hours, Filled by hand

**Note:** Cobblestones are standard





# Y-500

## 3D atomizing furnace core (manual)

### Model: Y-500

**Material:** stainless steel, cold rolled steel

**Power/voltage:** 300W/ AC 200-240V

**Spray volume:** 700ml/h

**Water tank capacity:** 3L

**Net weight:** 16.5KG

**Gross weight:** 18KG (excluding stone)

**Box size:** R45\* H22.5cm

**Product size:** R50\* H22.5cm

**Packing size:** L54\*W54\*H27CM

**Key type:** Physical key

**Light source:** LED+halogen lamp

**Function** Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function


Stainless steel water tank, stainless steel panel

Working time with full water is 5-6 hours

Filled by hand

Remote control included

**Note:** Cobblestones are standard





# Y-520

3D atomizing furnace core (manual)



**Model:** Y-520

**Material:** stainless steel, cold rolled steel

**Power/voltage:** 200W/ AC 200-240V

**Spray volume:** 700ml/h

**Water tank capacity:** 3.2L

**Net weight:** 9.4KG

**Gross weight:** 11.5KG

**Box size:** R40\*H22CM

**Product size:** R45\*H37CM

**Packing size:** L50\*W50\*H43CM Environmentally friendly resin charcoal

**Light source:** halogen lamp

**Function** Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function,

Stainless steel water tank

Full water working time 6-8 hours

Filled by hand, Remote control included



# K SERIES

K-301, K-302, K-303, K-305, K-306, K-307, K-308, K-309

**Function**

- Viewing and humidification function
- Flame size adjustment function
- Water shortage and dry burn prevention function
- Stainless steel water tank, stainless steel panel
- Full water working time 6-8 hours
- Manually add water
- With Remote control

**Remark**

- 1. 3MM ultra-thin stainless steel panel can be refitted,  
3MM black titanium stainless steel wire drawing panel can be refitted
- 2. Can be equipped with water pipe, free of manual water
- 3. Firewood sound can be added
- 4. Voice control function can be added
- 5. Can be modified multi-color APP control or multi-color remote control
- 6. The function of sterilizing lamp can be added
- 7. The cobblestones can be added (Put it on the cover)



**Colour:** Silvery ( Optional )  
**Texture of material:** Stainless steel wire drawing



**Colour:** Rose Gold ( Optional )  
**Texture of material:** Stainless steel wire drawing



**Colour:** Golden ( Optional )  
**Texture of material:** Stainless steel wire drawing



**Colour:** Black ( Optional )  
**Texture of material:** Stainless steel wire drawing




**Colour:** Black ( Standard configuration )  
**Texture of material:** Frosting

## METAL COLOR METAL MATERIAL



The product video

## PRODUCT SIZE DETAILS





# K-301

3D atomizing furnace core (automatic)

**Model:** K-301

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 110W/AC100-240V

**Spray volume:** 400ml/h

**Water tank capacity:** 3L

**N.W:** 14.2KGS

**G.W:** 15.1KGS

**Box size:** L66\*W19\*H17 CM

**Product size:** L70\*W24\*H17CM

**Packing size:** L74\*W29\*G22CM

**Button type:** Touch Button

**Panelthickness:** 3mm







# K-302

3D atomizing furnace core (automatic)

**Model:** K-302

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 190W/AC100-240V

**Spray volume:** 500ml/h

**Water tank capacity:** 4L

**N.W:** 12.5KGS

**G.W:** 13.3KGS

**Box size:** L76\*W19\*H17 CM

**Product size:** L80\*W24\*H17CM

**Packing size:** L84\*W29\*H22CM

**Button type:** Physical buttons

**Panelthickness:** 15mm





# K-303

3D atomizing furnace core (automatic)

**Model:** K-303

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 280W/AC100-240V

**Spray volume:** 1200ml/h

**Water tank capacity:** 8L

**N.W:** 26.7KGS

**G.W:** 28.9KGS

**Box size:** L146\*W19\*H17CM

**Product size:** L150\*W24\*H17CM

**Packing size:** L154\*W29\*H22CM

**Button type:** Touch Button

**Panelthickness:** 3mm





# K-303-Horse race lamp

3D atomizing furnace core (automatic)

**Model:** K-303-Horse race lamp  
**Material:** stainless steel, cold rolled steel, PP plastic  
**Power/voltage:** 280W/AC100-240V  
**Spray volume:** 1200ml/h  
**Water tank capacity:** 8L  
**N.W:** 26.7KGS  
**G.W:** 28.9KGS  
**Box size:** L146\*W19\*H17CM  
**Product size:** L150\*W24\*H17CM  
**Packing size:** L154\*W29\*H22CM  
**Button type:** Touch Button  
**Panel thickness:** 3mm







# K-305

3D atomizing furnace core (automatic)

**Model:** K-305

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 240W/AC100-240V

**Spray volume:** 1000ml/h

**Water tank capacity:** 6L

**N.W:** 21.9KGS

**G.W:** 23.5KGS

**Box size:** L116\*W19\*H17CM

**Product size:** L120\*W24\*H17CM

**Packing size:** L124\*W29\*H22CM

**Button type:** Touch Button

**Panelthickness:** 3mm





# K-306

3D atomizing furnace core (automatic)

**Model:** K-306

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 340W/AC100-240V

**Spray volume:** 1400ml/h

**Water tank capacity:** 10L

**N.W:** 31.5KGS

**G.W:** 33.3KGS

**Box size:** L176\*W19\*H17CM

**Product size:** L180\*W24\*H17CM

**Packing size:** L184\*W29\*H22CM

**Button type:** Touch Button

**Panelthickness:** 3mm





# K-306-Horse race lamp

3D atomizing furnace core (automatic)

**Model:** K-306-Horse race lamp

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 340W/AC100-240V

**Spray volume:** 1400ml/h

**Water tank capacity:** 10L

**N.W:** 31.5KGS

**G.W:** 33.3KGS


**Box size:** L176\*W19\*H17CM

**Product size:** L180\*W24\*H17CM

**Packing size:** L184\*W29\*H22CM

**Button type:** Touch Button

**Panelthickness:** 3mm





# K-307

3D atomizing furnace core (automatic)

**Model:** K-307

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 340W/AC100-240V

**Spray volume:** 1400ml/h

**Water tank capacity:** 10L

**N.W:** 31.5KGS

**G.W:** 33.3KGS

**Box size:** L176\*W19\*H17CM

**Product size:** L200\*W24\*H17CM

**Packing size:** L204\*W29\*H22CM

**Button type:** Touch Button

**Panelthickness:** 3mm





# K-308

3D atomizing furnace core (automatic)

**Model:** K-308

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 500W/AC100-240V

**Spray volume:** 1700ml/h

**Water tank capacity:** 15L

**N.W:** 41.5KGS

**G.W:** 44.3KGS

**Box size:** L236\*W19\*H17CM

**Product size:** L240\*W24\*H17CM

**Packing size:** L244\*W29\*H22CM

**Button type:** Touch Button

**Panelthickness:** 3mm





# K-309

3D atomizing furnace core (automatic)

**Model:** K-309

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 120W/AC100-240V

**Spray volume:** 500ml/h

**Water tank capacity:** 4L

**N.W:** 15.5KGS

**G.W:** 16.5KGS


**Box size:** L76\*W19\*H17CM

**Product size:** L80\*W24\*H17CM

**Packing size:** L84\*W29\*H22CM

**Button type:** Touch Button

**Panelthickness:** 3mm







# K-331

3D atomizing furnace core (automatic)

**Material:** Stainless steel, cold rolled steel, ABS plastic

**Power/voltage:** 300W / AC100-240V

**Spray volume:** 250ml/h

**Water tank capacity:** 1L

**N.W:** 9.2KG

**Water consumption:** 0.19ml/h

**Furnace core size:** 58\*15\*24CM

**Length of water tank:** 45CM

**Button type:** Touch control/wireless remote control/  
mobile phone APP

**Waterproof LED light strip.**

## Function

Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function

Full water working time 6-8 hours

Automatic water

Color running lamp, separate rainbow color, color gradient.

Separate flame color button

Atomization amount can be adjusted 3 levels

Four levels of wind control

Bluetooth link Mobile phone music.

With music rhythm section flame jumping function.

Control panel, remote control, mobile APP control

With child lock safety switch

Burning wood sound (three sound sources).



Anion function

Light out pure humidification function.

Heater function











# K-332

3D atomizing furnace core (automatic)

**Material:** Stainless steel, cold rolled steel, ABS plastic

**Power/voltage:** 300W / AC100-240V

**Spray volume:** 250ml/h

**Water tank capacity:** 1.5L

**N.W:** 12.2KG

**Water consumption:** 0.25ml/h

**Furnace core size:** 78\*15\*24CM

**Length of water tank:** 65CM

**Button type:** Touch control/wireless remote control/  
mobile phone APP

**Waterproof LED light strip.**

## Function

Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function

Full water working time 6-8 hours

Automatic water

Color running lamp, separate rainbow color, color gradient.

Separate flame color button

Atomization amount can be adjusted 3 levels

Four levels of wind control

Bluetooth link Mobile phone music.

With music rhythm section flame jumping function.

Control panel, remote control, mobile APP control

With child lock safety switch

Burning wood sound (three sound sources).

Anion function

Light out pure humidification function.

Heater function









# K-333

3D atomizing furnace core (automatic)

**Material:** Stainless steel, cold rolled steel, ABS plastic

**Power/voltage:** 300W / AC100-240V

**Spray volume:** 250ml/h

**Water tank capacity:** 2L

**N.W:** 16.5KG

**Water consumption:** 0.42ml/h

**Furnace core size:** 108\*15\*24CM

**Length of water tank:** 95CM

**Button type:** Touch control/wireless remote control/  
mobile phone APP

**Waterproof LED light strip.**

## Function

Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function

Full water working time 6-8 hours

Automatic water

Color running lamp, separate rainbow color, color gradient.

Separate flame color button

Atomization amount can be adjusted 3 levels

Atomization amount can be adjusted 3 levels

Four levels of wind control

Bluetooth link Mobile phone music.

With music rhythm section flame jumping function.

Control panel, remote control, mobile APP control

With child lock safety switch

Burning wood sound (three sound sources).






Anion function

Light out pure humidification function.

Heating function









# S-302

3D atomizing furnace core (manual)

**Model:** S-302

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 190W/AC100-240V

**Spray volume:** 700ml/h

**Water tank capacity:** 5L

**Net weight:** 9.1KG

**Gross weight:** 20.9KG

**Box size:** L96\*W19\*H21CM

**Product size:** L100\*W27\*H35CM

**Packing size:** L104\*W31\*H43CM

**Key type:** Physical key

**Light source:** halogen lamp

**Function** Viewing and humidification function,

Flame size adjustment function,

Water shortage and dry burn prevention function,

Stainless steel water tank, stainless steel panel,

Full water working time 6-8 hours, Filled by hand,

Remote control included



# S-305

3D atomizing furnace core (manual)

**Model:** S-305

**Material:** stainless steel, cold rolled steel, PP plastic

**Power/voltage:** 190W/AC100-240V

**Spray volume:** 700ml/h

**Water tank capacity:** 5L

**Net weight:** 9.1KG

**Gross weight:** 20.9KG

**Box size:** L96\*W19\*H21CM

**Product size:** L100\*W27\*H35CM

**Packing size:** L104\*W31\*H43CM

**Key type:** Physical key

**Light source:** halogen lamp

**Function** Viewing and humidification function,

Flame size adjustment function,

Water shortage and dry burn prevention function

Stainless steel water tank, stainless steel panel

Full water working time 6-8 hours

Filled by hand, Remote control included





# M SERIES




We also deeply realize that only the perfect pursuit of details can truly satisfy you. We show the natural beauty of details/make your life more beautiful.



The product video

## PRODUCT SIZE DETAILS





# M-336

Stereo carbon furnace core

**Model:** M-336

**Material:** cold rolled steel, tempered glass,  
environmental protection resin, PP plastic

**Power/voltage:** 16W/AC100-240V

**heating power:** 1500W

**Lamp source:** LED

**Control:** touch switch control +  
infrared remote control

**Motor:** Silent synchronous motor

**Net weight:** 16.7KG

**Gross weight:** 18.7KG

**Product size:** L60\*W26\*H55CM

**Packing size:** L64\*W30\*H69CM

**Function** 3D three-dimensional charcoal + small gravel + SPAR (DIY display),

Flame viewing function + heating function


7 Color flame function

Sound of wood burning

Left and right decorative brick wall







# M-339

**Stereo carbon furnace core**

**Model:** M-339

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 16W/AC100-240V

**heating power:** 1500W

**Lamp source:** COB/LED

**Control:** touch switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 17KG

**GW:** 19KG

**Product size:** L70\*W26\*H52CM

**Packing size:** L74\*W30\*H66CM

**Function** 3D three-dimensional charcoal + small gravel + SPAR (DIY display)

Flame viewing function + heating function

7 Color flame function, Sound of wood burning

Viewing through glass on three sides





# M-338

Stereo carbon furnace core

**Model:** M-338

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 22W/AC100-240V

**heating power:** 1500W

**Lamp source:** LED

**Control:** touch switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 30.3KG

**GW:** 33.3KG

**Product size:** L120\*W26\*H55CM

**Packing size:** L124\*W30\*H69CM

**Function** 3D three-dimensional charcoal + small gravel + SPAR (DIY display)

Flame viewing function + heating function

7 Color flame function, Sound of wood burning

Viewing through glass on three sides





# M-201

2D plane furnace core

**Model:** M-201

**Material:** cold rolled steel, tempered glass,  
environmental protection resin, PP plastic

**Power/voltage:** 21W/AC100-240V

**Lamp source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 12.4KGS

**GW:** 14KGS

**Product size:** L70\*W18\*H58CM

**Packing size:** L74\*W22\*H62CM


**Function** Flame viewing function, Adjustable flame size  
(cyclic gradient adjustment),

Can be modified 7 color flame function

Flame carbon can be modified into colored spar

Firewood sound can be added, Bluetooth music can be added

Heating can be added (1500W), Frame can be added





# M-201-3

2D plane furnace core

**Model:** M-201-3

**Material:** cold rolled steel, tempered glass,  
environmental protection resin, PP plastic

**Power/voltage:** 21W/AC100-240V

**Lamp source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 12.4KGS

**GW:** 14KGS

**Product size:** L70\*W18\*H58CM

**Packing size:** L74\*W22\*H62CM

**Function** Flame viewing function, Adjustable flame size (cyclic gradient adjustment)

Can be modified 7 color flame function

Flame carbon can be modified into colored spar

Firewood sound can be added, Bluetooth music can be added

Heating can be added (1500W), Frame can be added





# M-202

## 2D plane furnace core

**Model:** M-202

**Material:** cold rolled steel, tempered glass,  
environmental protection resin, PP plastic

**Power/voltage:** 21W/AC100-240V

**Lamp source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor


**NW:** 12.4KGS

**GW:** 14KGS

**Product size:** L70\*W18\*H58CM

**Packing size:** L74\*W22\*H62CM

**Function** Flame viewing function, Adjustable flame size (cyclic gradient adjustment),  
Can be modified 7 color flame function, Flame carbon can be modified into colored spar  
Firewood sound can be added, Bluetooth music can be added, Heating can be added (1500W)





# M-203

2D plane furnace core

**Model:** M-203

**Material:** cold rolled steel, tempered glass,  
environmental protection resin, PP plastic

**Power/voltage:** 36W/AC100-240V

**Lamp source:** COB/LED

**Control:** Touch switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 18.3KGS

**GW:** 20.2KGS

**Product size:** L120\*W18\*H52CM

**Packing size:** L124\*W22\*H56CM



**Function** Flame viewing function, Adjustable flame size (cyclic gradient adjustment),  
Can be modified 7 color flame function, Flame carbon can be modified into colored spar  
Firewood sound can be added, Bluetooth music can be added  
Heating can be added (1500W), Frame can be added





# M-205A

## 2D plane furnace core

### Model: M-205A

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 21W/AC100-240V

**heating power:** 1500W

**Lamp source:** COB/LED

**Control:** TPhysical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 13.2KGS

**GW:** 14.6KGS

**Product size:** L61\*W18\*H57CM

**Packing size:** L65\*W22\*H61CM

**Function** Flame viewing function + heating function  
Adjustable flame size (cyclic gradient adjustment)  
Can be modified 7 color flame function  
Firewood sound can be added,  
Bluetooth music can be added  
Frame can be added



# M-205

## 2D plane furnace core

### Model: M-205

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 21W/AC100-240V

**heating power:** 1500W

**Lamp source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 14KGS

**GW:** 15.9KGS

**Box size:** L61\*W18\*H57CM

**Product size:** L67\*W18\*H60CM

**Packing size:** L71\*W22\*H64CM

**Function** Flame viewing function + heating function  
Adjustable flame size (cyclic gradient adjustment)  
Can be modified 7 color flame function  
Firewood sound can be added  
Bluetooth music can be added





# M-206

2D plane furnace core

**Model:** M-206

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 21W/AC100-240V

**heating power:** 1500W

**Lamp source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 13.5KGS

**GW:** 15KGS

**Product size:** L70\*W18\*H58CM

**Packing size:** L74\*W22\*H62CM



**Function** Flame viewing function + heating function

Adjustable flame size (cyclic gradient adjustment)

Can be modified 7 color flame function

Flame carbon can be modified into colored spar

Firewood sound can be added, Bluetooth music

can be added, Frame can be added

# M-208

2D plane furnace core



**Model:** M-208

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 21W/AC100-240V

**heating power:** 1500W

**Lamp source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 14KGS

**GW:** 15.9KGS

**Box size:** L61\*W18\*H57CM

**Product size:** L67\*W18\*H60CM

**Packing size:** L71\*W22\*H64CM

**Function** Flame viewing function +

heating function

Adjustable flame size (cyclic gradient adjustment)

Can be modified 7 color flame function,

Firewood sound can be added,

Bluetooth music can be added





# M-207

2D plane furnace core

**Model:** M-207

**Material:** cold rolled steel, tempered glass,  
environmental protection resin, PP plastic

**Power/voltage:** 36W/AC100-240V

**heating power:** 1500W

**Lamp source:** COB/LED

**Control:** Touch switch control +  
infrared remote control

**Motor:** Silent synchronous motor

**NW:** 19.1KGS

**GW:** 20.9KGS

**Product size:** L120\*W18\*H52CM

**Packing size:** L124\*W22\*H56CM



**Function** Flame viewing function + heating function, Adjustable flame size (cyclic gradient adjustment)  
Can be modified 7 color flame function, Firewood sound can be added, Bluetooth music can be added  
Frame can be added





# M-236

2D plane furnace core

**Model:** M-236

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 44W/AC100-240V

**Light source:** COB/LED

**Control:** Touch switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 22.1KGS

**GW:** 24.6KGS

**Product size:** L150\*W18\*H52CM

**Packing size:** L154\*W22\*H56CM

**Function** Flame viewing function,  
Adjustable flame size (cyclic gradient adjustment)  
Can be modified 7 color flame function  
Flame carbon can be modified into colored spar  
Firewood sound can be added, Bluetooth music can be added  
Heating can be added (1500W), Frame can be added





# M-239

2D plane furnace core

**Model:** M-239

**Material:** cold rolled steel, tempered glass,  
environmental protection resin, PP plastic

**Power/voltage:** 52W/AC100-240V

**Light source:** COB/LED

**Control:** Touch switch control +  
infrared remote control

**Motor:** Silent synchronous motor

**NW:** 34.3KGS

**GW:** 37.8KGS

**Product size:** L200\*W18\*H55CM

**Packing size:** L204\*W22\*H59CM

**Function** Flame viewing function

Adjustable flame size (cyclic gradient adjustment)

Can be modified 7 color flame function

Flame carbon can be modified into colored spar

Firewood sound can be added

Bluetooth music can be added

Heating can be added (1500W)

Frame can be added





# M-255M

2D plane furnace core

**Model:** M-255M

**Material:** cold rolled steel, tempered glass,  
environmental protection resin, PP plastic

**Power/voltage:** 24W/AC100-240V

**Light source:** COB/LED

**Control:** Physical switch control +  
infrared remote control

**Motor:** Silent synchronous motor

**NW:** 14.2KGS

**GW:** 15.8KGS

**Product size:** L80\*W17\*H60CM

**Packing size:** L84\*W21\*H64CM

**Function** Flame viewing function

Adjustable flame size (cyclic gradient adjustment)

Can be modified 7 color flame function

Flame carbon can be modified into colored spar,

Firewood sound can be added, Bluetooth music can be added

Heating can be added (1500W), Frame can be added







# M-256-J

2D plane furnace core

## M-256

2D plane furnace core

**Model:** M-256

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 29W/AC100-240V

**Lamp source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 14.8KGS

**GW:** 16.4KGS

**Product size:** L100\*W17\*H50CM

**Packing size:** L104\*W21\*H54CM

**Function** Flame viewing function

Adjustable flame size (cyclic gradient adjustment)

Can be modified 7 color flame function

Flame carbon can be modified into colored spar,

Firewood sound can be added

Bluetooth music can be added

Heating can be added (1500W)

Frame can be added

**Model:** M-256-J

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 29W/AC100-240V

**Lamp source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 14.8KGS

**GW:** 16.4KGS

**Product size:** L100\*W17\*H50CM

**Packing size:** L104\*W21\*H54CM

**Function** Flame viewing function

Adjustable flame size (cyclic gradient adjustment)

Can be modified 7 color flame function

Flame carbon can be modified into colored spar,

Firewood sound can be added

Bluetooth music can be added

Heating can be added (1500W)

Frame can be added



# M-230A

2D plane furnace core

**Model:** M-230A

**Material:** cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 11W/AC100-240V

**Light source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor

**NW:** 9KGS

**GW:** 10KGS

**Product size:** L55\*W17\*H50CM

**Packing size:** L59\*W21\*H54CM

**Function** Flame viewing function, Charcoal can be directly touched, Frame can be added



# M-235

2D plane furnace core



**Model:** M-235

**Material:** Cold rolled steel, tempered glass, environmental protection resin, PP plastic

**Power/voltage:** 21W/AC100-240V

**Light source:** COB/LED

**Control:** Physical switch control + infrared remote control

**Motor:** Silent synchronous motor

**NW:** 11KGS

**GW:** 11.8KGS

**Product size:** L60\*W17\*H60CM

**Packing size:** L64\*W21\*H64CM

**Function** Flame viewing function, Adjustable flame size (cyclic gradient adjustment) Can be modified 7 color flame function Flame carbon can be modified into colored spar Firewood sound can be added, Bluetooth music can be added Heating can be added (1500W), Frame can be added



# M-222

Bare carbon furnace core



**Model:** M-222

**Material:** environmental protection resin, high density plate

**Power/voltage:** 12W/AC100-240V

**Lamp source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor

**Net weight:** 1.4KG

**Gross weight:** 1.8KG

**Product size:** L35\*D22\*H16CM

**Packing size:** L39\*D26\*H17CM

**Function** Flame viewing function Charcoal can be directly touched

# M-230

Bare carbon furnace core

**Model:** M-230

**Material:** environmental protection resin,  
high density plate

**Power/voltage:** 25W/AC100-240V

**Light source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor

**Net weight:** 7.3KG

**Gross weight:** 8.7KG

**Product size:** L103\*W28\*H25CM

**Package size:** L108\*W31\*H26CM

**Function** Flame viewing function

Charcoal can be directly touched





# M-227

Bare carbon furnace core

**Model:** M-227

**Material:** environmental protection resin, high density plate

**Power/voltage:** 15W/AC200-240V

**Light source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor


**Net weight:** 5KG

**Gross weight:** 6.2KG

**Product size:** L101\*W21\*H21CM

**Package size:** L105\*W25\*H25CM

**Function** Flame viewing function, Charcoal can be directly touched



# M-228

Bare carbon furnace core

**Model:** M-228

**Material:** environmental protection resin, high density plate

**Power/voltage:** 25W/AC100-240V

**Light source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor

**Net weight:** 7.3KG

**Gross weight:** 8.7KG

**Product size:** L104\*W28\*H25CM

**Package size:** L108\*W31\*H26CM

**Function** Flame viewing function, Charcoal can be directly touched





# M-229

Bare carbon furnace core



**Model:** M-229

**Material:** environmental protection resin, high density plate

**Power/voltage:** 25W/AC100-240V

**Light source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor

**Net weight:** 6.3KG

**Gross weight:** 7.6KG

**Product size:** R60\*H25CM

**Package size:** L63\*W63\*H27CM

**Function** Flame viewing function, Charcoal can be directly touched



# M-238

Bare carbon furnace core

**Model:** M-238

**Material:** environmental protection resin, high density plate

**Power/voltage:** 25W/AC100-240V

**Light source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor


**Net weight:** 7.2KG

**Gross weight:** 8.3KG

**Product size:** L63\*W29\*H27CM

**Package size:** L67\*W32\*H28 CM

**Function** Flame viewing function, Charcoal can be directly touched





# M-323

Bare carbon furnace core



**Model:** M-323  
**Material:** cold rolled steel, environmental protection resin, PP plastic  
**Power/voltage:** 10W/AC100-240V  
**Light source:** LED  
**Control:** Power line with switch control  
**Motor:** Silent synchronous motor  
**Net weight:** 1.8KG  
**Gross weight:** 2.1KG  
**Product size:** R31\*H35CM  
**Package size:** L34\*W34\*H28CM

**Function** Flame viewing function  
Charcoal can be directly touched



# M-358

Flat hearth

**Model:** M-358

**Material:** Color crystal core with resin carbon

**Voltage:** AC100-240V

**Power:** 18-1518W

**Lamp source:** LED

**Control:** Physical switch/remote control

**Motor:** Silent synchronous motor

**Net weight:** 7.55 KG

**Gross weight:** 8.55 KG

**Box size:** 45 \* 12 \* 56 CM

**With frame size:** 52.5 \* 17 \* 57 CM





# M-380

Bare carbon furnace core



**Model:** M-380

**Material:** environmental protection resin, high density plate

**Power/voltage:** 12W/AC100-240V

**Lamp source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor

**Net weight:** 1.9KG

**Gross weight:** 2.5KG

**Product size:** R380\*H21CM

**Packing size:** L42\*D42\*H23CM

**Function** Flame viewing function, Charcoal can be directly touched

# M-380-P

Bare carbon furnace core

**Model:** M-380-P

**Material:** environmental protection resin, high density plate

**Power/voltage:** 12W/AC100-240V

**Lamp source:** LED

**Control:** Power line with switch control

**Motor:** Silent synchronous motor

**Net weight:** 1.9KG


**Gross weight:** 2.5KG

**Product size:** R380\*H21CM

**Packing size:** L42\*D42\*H23CM

**Function** Flame viewing function

Charcoal can be directly touched





# M-600

Bare carbon furnace core



**Model:** M-600  
**Material:** environmental protection resin, high density plate  
**Power/voltage:** 16W/AC100-240V  
**Lamp source:** LED  
**Control:** Power line with switch control  
**Motor:** Silent synchronous motor  
**Net weight:** 5.9KG  
**Gross weight:** 7.2KG  
**Product size:** R60\*H38CM  
**Packing size:** L63\*W63\*H42CM

**Function** Flame viewing function, Charcoal can be directly touched

# M-600-P

Bare carbon furnace core

**Model:** M-600-P  
**Material:** environmental protection resin, high density plate  
**Power/voltage:** 16W/AC100-240V  
**Lamp source:** LED  
**Control:** Power line with switch control  
**Motor:** Silent synchronous motor  
**Net weight:** 5.9KG  
**Gross weight:** 7.2KG  
**Product size:** R60\*H38CM  
**Packing size:** L63\*W63\*H42CM

**Function** Flame viewing function  
Charcoal can be directly touched







# M-661

Wall-mounted core

- Model:** M-661
- Material:** Color Crystal Core
- Voltage:** AC100-240V
- Power:** 20-1520W
- Lamp source:** LED
- Control:** Touch button
- Motor:** Silent synchronous motor
- Net weight:** 9.8 KG
- Gross weight:** 10.8 KG
- Box size:** 74 \*11.5 \*36 CM
- With frame size:** 80\* 12 \*38 CM







# M-662

Wall-mounted core

**Model:** M-662

**Material:** Color Crystal Core

**Voltage:** AC100-240V

**Power:** 30-1530W

**Lamp source:** LED

**Control:** Touch button

**Motor:** Silent synchronous motor

**Net weight:** 11.7 KG

**Gross weight:** 13.2 KG

**Box size:** 94 \*11.5 \*36 CM

**With frame size:** 100\*12 \*38 CM









# M-663

Wall-mounted core

- Model:** M-663
- Material:** Color Crystal Core
- Voltage:** AC100-240V
- Power:** 50-1550W
- Lamp source:** LED
- Control:** Touch button
- Motor:** Silent synchronous motor
- Net weight:** 13.85 KG
- Gross weight:** 15.85 KG
- Box size:** 114 \*11.5 \*36 CM
- With frame size:** 120\* 12 \*38 CM





# M-665

Wall-mounted core

**Model:** M-665

**Material:** Color Crystal Core

**Voltage:** AC100-240V

**Power:** 60-1560W

**Lamp source:** LED

**Control:** Touch button

**Motor:** Silent synchronous motor

**Net weight:** 16.65 KG

**Gross weight:** 18.65 KG

**Box size:** 144 \*11.5 \*36 CM

**With frame size:** 150\* 12 \*38 CM





# A SERIES


A-621, A-622, A-623, A-625, A651, A652, A653, A655, A656, A657, A658

**Note:**  
1.After injecting alcohol, it should be lit immediately to avoid gas explosion caused by volatilization of alcohol.  
2.After the alcohol is burned, it is necessary to wait for the furnace to cool down to room temperature before injecting alcohol again to prevent alcohol volatilization resulting in gas explosion



The product video

## PRODUCT SIZE DETAILS





# A-621

Alcohol furnace core



**Model:** A-621

**Material:** stainless steel, thermal insulation cotton

**Fuel:** 95% medical alcohol

**Lighting method:** external long mouth lighter

**Extinguishing mode:** Cover off and turn off the flame

**Alcohol capacity:** 1.4L

**NW:** 5.1KGS

**GW:** 5.5KGS

**Product size:** L33\*W18\*H12CM

**Tank size:** L29\*W14\*H10CM

**Packing size:** L38\*W22\*H16CM

**Function** Flame viewing functionSpace heating function



# A-622

Alcohol furnace core

**Model:** A-622

**Material:** stainless steel, thermal insulation cotton

**Fuel:** 95% medical alcohol

**Lighting method:** external long mouth lighter

**Extinguishing mode:** Cover off and turn off the flame

**Alcohol capacity:** 2.3L

**NW:** 7.6KGS


**GW:** 8.2KGS

**Product size:** L50\*W18\*H12CM

**Tank size:** L46\*W14\*H10CM

**Packing size:** L55\*W22\*H16CM

**Function** Flame viewing functionSpace heating function





# A-623

Alcohol furnace core

**Model:** A-623

**Material:** stainless steel, thermal insulation cotton

**Fuel:** 95% medical alcohol

**Lighting method:** external long mouth lighter

**Extinguishing mode:** Cover off and turn off the flame

**Alcohol capacity:** 4L

**NW:** 14.2KGS


**GW:** 14.9KGS

**Product size:** L80\*W18\*H12CM

**Tank size:** L76\*W14\*H10CM

**Packing size:** L85\*W22\*H16CM

**Function** Flame viewing functionSpace heating function



# A-625

Alcohol furnace core

**Model:** A-625

**Material:** stainless steel, thermal insulation cotton

**Fuel:** 95% medical alcohol

**Lighting method:** external long mouth lighter

**Extinguishing mode:** Cover off and turn off the flame

**Alcohol capacity:** 5L

**NW:** 17.8KGS

**GW:** 18.6KGS

**Product size:** L100\*W18\*H12CM

**Tank size:** L96\*W14\*H10CM

**Packing size:** L105\*W22\*H16CM

**Function** Flame viewing functionSpace heating function





# A-628(Color: Black/White)

Alcohol furnace core

**Model:** A-628

**Material:** stainless steel, thermal insulation cotton

**Fuel:** 95% medical alcohol

**Lighting method:** external long mouth lighter

**Extinguish mode:** cover extinguish

**Alcohol capacity:** 0.4L

**Burn time:** 1 hour

**Net weight:** 2.85KG

**Gross weight:** 3.2KG

**Finished product size:** 30\*16\*19 CM

**Box size:** 30\*16\*7 CM

**Package size:** 39\*25\* 14CM

**Function** Flame viewing function, Space heating function

Note: The injection of alcohol should be lit immediately, so as to avoid alcohol volatilization resulting in fire grabbing phenomenon





# A-651

## Alcohol furnace core

**Model:** A-651

**Material:** Stainless steel

**Maximum working power:** 100 W

**Rated power:** 15W

**Input voltage:** AC100-240V

**Output voltage:** 12V

**Ignition mode:** Built-in electronic lighter nozzle

**Extinguish mode:** Electronic shutdown

**Burn time:** 5-6 hours

**Alcohol capacity:** 4L

**Alcohol burning capacity:** 0.75 L/H

**Control mode:** Control panel, remote control, TUYA APP

**Net weight:** 11 KG

**Gross weight:** 12.2 KG

**Product size:** 50\*24\* 21.5CM

**Box size:** 46\*20\*21CM

**Package size:** 54\*29\*26CM

**Function** Flame viewing function

Space heating function

With wood burning sound function

Flame size can be adjusted

The output of alcohol can be adjusted


Data such as temperature and alcohol capacity

can be uploaded in real time through the APP

One key start to inject alcohol, lack of alcohol

automatic shutdown

Child lock function





# A-652

## Alcohol furnace core

**Model:** A-652

**Material:** Stainless steel

**Maximum working power:** 100 W

**Rated power:** 15W

**Input voltage:** AC100-240V

**Output voltage:** 12V

**Ignition mode:** Built-in electronic lighter nozzle

**Extinguish mode:** Electronic shutdown

**Burn time:** 5-6 hours

**Alcohol capacity:** 5L

**Alcohol burning capacity:** 0.8 L/H

**Control mode:** Control panel, remote control, TUYA APP

**Net weight:** 13KG

**Gross weight:** 14.8 KG

**Product size:** 60\*24\*21.5CM

**Box size:** 56\*20\*21CM

**Package size:** 64\*29\*26CM

**Function** Flame viewing function

Space heating function

With wood burning sound function

Flame size can be adjusted

The output of alcohol can be adjusted

Data such as temperature and alcohol capacity

can be uploaded in real time through the APP

One key start to inject alcohol, lack of alcohol

automatic shutdown

Child lock function







# A-653

## Alcohol furnace core

**Model:** A-653  
**Material:** Stainless steel  
**Maximum working power:** 100 W  
**Rated power:** 15W  
**Input voltage:** AC100-240V  
**Output voltage:** 12V  
**Ignition mode:** Built-in electronic lighter nozzle  
**Extinguish mode:** Electronic shutdown  
**Burn time:** 5-6 hours  
**Alcohol capacity:** 6L  
**Alcohol burning capacity:** 0.9 L/H  
**Control mode:** Control panel, remote control, TUYA APP  
**Net weight:** 15KG  
**Gross weight:** 16.8 KG  
**Product size:** 70\*24\*21.5CM  
**Box size:** 66\*20\*21CM  
**Package size:** 74\*29\*26CM

**Function** Flame viewing function  
Space heating function  
With wood burning sound function  
Flame size can be adjusted  
The output of alcohol can be adjusted  
Data such as temperature and alcohol capacity  
can be uploaded in real time through the APP  
One key start to inject alcohol, lack of alcohol  
automatic shutdown  
Child lock function





# A-655

## Alcohol furnace core

Model: A-655

**Material:** Stainless steel

**Maximum working power:** 100 W

**Rated power:** 15W

**Input voltage:** AC100-240V

**Output voltage:** 12V

**Ignition mode:** Built-in electronic lighter nozzle

**Extinguish mode:** Electronic shutdown

**Burn time:** 5-6 hours

**Alcohol capacity:** 8L

**Alcohol burning capacity:** 1.1 L/H

**Control mode:** Control panel, remote control, TUYA APP

**Net weight:** 17KG

**Gross weight:** 19 KG

**Product size:** 80\*24\*21.5CM

**Box size:** 76\*20\*21CM

**Package size:** 84\*29\*26CM



**Function** Flame viewing function  
Space heating function  
With wood burning sound function  
Flame size can be adjusted  
The output of alcohol can be adjusted  
Data such as temperature and alcohol capacity  
can be uploaded in real time through the APP  
One key start to inject alcohol, lack of alcohol  
automatic shutdown  
Child lock function



# A-656

## Alcohol furnace core

**Model:** A-656

**Material:** Stainless steel

**Maximum working power:** 100 W

**Rated power:** 15W

**Input voltage:** AC100-240V

**Output voltage:** 12V

**Ignition mode:** Built-in electronic lighter nozzle

**Extinguish mode:** Electronic shutdown

**Burn time:** 5-6 hours

**Alcohol capacity:** 9L

**Alcohol burning capacity:** 1.4 L/H

**Control mode:** Control panel, remote control, TUYA APP

**Net weight:** 20.4KG

**Gross weight:** 22.6KG

**Product size:** 100\*24\*21.5CM

**Box size:** 96\*20\*21CM

**Package size:** 104\*29\*26CM

**Function** Flame viewing function

Space heating function

With wood burning sound function

Flame size can be adjusted

The output of alcohol can be adjusted

Data such as temperature and alcohol capacity

can be uploaded in real time through the APP

One key start to inject alcohol, lack of alcohol

automatic shutdown

Child lock function





# A-657

## Alcohol furnace core

**Model:** A-367

**Material:** Stainless steel

**Maximum working power:** 100 W

**Rated power:** 15W

**Input voltage:** AC100-240V

**Output voltage:** 12V

**Ignition mode:** Built-in electronic lighter nozzle

**Extinguish mode:** Electronic shutdown

**Burn time:** 5-6 hours

**Alcohol capacity:** 12L

**Alcohol burning capacity:** 1.7 L/H

**Control mode:** Control panel, remote control, TUYA APP

**Net weight:** 24.3KG

**Gross weight:** 26.5KG

**Product size:** 120\*24\*21.5CM

**Box size:** 116\*20\*21CM

**Package size:** 124\*29\*26CM

**Function** Flame viewing function

Space heating function

With wood burning sound function

Flame size can be adjusted

The output of alcohol can be adjusted

Data such as temperature and alcohol capacity

can be uploaded in real time through the APP

One key start to inject alcohol, lack of alcohol

automatic shutdown

Child lock function







# A-658

Alcohol furnace core

**Model:** A-658  
**Material:** Stainless steel  
**Maximum working power:** 100 W  
**Rated power:** 15W  
**Input voltage:** AC100-240V  
**Output voltage:** 12V  
**Ignition mode:** Built-in electronic lighter nozzle  
**Extinguish mode:** Electronic shutdown  
**Burn time:** 5-6 hours  
**Alcohol capacity:** 15L  
**Alcohol burning capacity:** 2.2 L/H  
**Control mode:** Control panel, remote control, TUYA APP  
**Net weight:** 29.6KG  
**Gross weight:** 32KG  
**Product size:** 150\*24\*21.5CM  
**Box size:** 146\*20\*21CM  
**Package size:** 154\*29\*26CM

**Function** Flame viewing function  
 Space heating function  
 With wood burning sound function  
 Flame size can be adjusted  
 The output of alcohol can be adjusted  
 Data such as temperature and alcohol capacity can be uploaded in real time through the APP  
 One key start to inject alcohol, lack of alcohol automatic shutdown  
 Child lock function





# F SERIES

F-001, F-002, F-003

**Function**

Flame viewing function

Storage device function



The product video

## PRODUCT SIZE DETAILS





# F-001

## Complete fireplace series

**Model:** F-001

**Material:** Solid wood + high-density plate + stainless steel + cold rolled steel + resin + rock plate

**Rated power:** 20W

**Input voltage:** AC100-240V

**Output voltage:** 12V

**Supporting core:** crystal core

**Flame color:** seven colors

**Cabinet surface material:** high-density plate

**Cabinet foot support:** stainless steel

**Number of drawers:** 2

**Net weight:** 48KG

**Gross weight:** 55KG

**Product size:** 100\*32\*96CM

**Packing size:** 155\*36\*100CM





# F-002

Complete fireplace series

**Model:** F-002

**Material:** Solid wood + high-density plate + stainless steel + cold rolled steel + resin + rock plate

**Rated power:** 15W

**Input voltage:** AC100-240V

**Output voltage:** 12V

**Supporting core:** charcoal molding core

**Flame color:** seven colors

**Cabinet surface material:** rock plate

**Cabinet foot support:** stainless steel

**Number of drawers:** 2

**Net weight:** 50KG

**Gross weight:** 57KG

**Product size:** 120\*30\*90CM

**Packing size:** 125\*34\*100CM







**Model:** F-003  
**Material:** Solid wood + high-density plate + stainless steel + cold rolled steel + resin + rock plate  
**Rated power:** 15W  
**Input voltage:** AC100-240V  
**Output voltage:** 12V  
**Supporting core:** charcoal molding core  
**Flame color:** Flame color  
**Cabinet surface material:** rock plate  
**Cabinet foot support:** stainless steel  
**Number of drawers:** 2  
**Net weight:** 50KG  
**Gross weight:** 57KG  
**Product size:** 120\*30\*90CM  
**Packing size:** 125\*34\*100CM

# F-003

Complete fireplace series